

REV. 2.0.3 | 2023-11-27

WHITEPAPER

DATA AND STANDARDS



MTBF TABLES FOR VARIOUS DEVICES OR SERIES





Copyright © 2023 Dallmeier electronic GmbH & Co.KG

The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages.

All rights reserved in the event of the grant of a patent, utility model or design.

The manufacturer accepts no liability for damage to property or pecuniary damages arising due to minor defects of the product or documentation, e.g. print or spelling errors, and for those not caused by intention or gross negligence of the manufacturer.

Figures in this document may differ from the actual product. Specifications subject to change without notice. Errors and misprints excepted.

All trademarks identified by [®] are registered trademarks of Dallmeier.

Third-party trademarks are named for information purposes only. Dallmeier respects the intellectual property of third parties and always attempts to ensure the complete identification of third-party trademarks and indication of the respective holder of rights. In case that protected rights are not indicated separately, this circumstance is no reason to assume that the respective trademark is unprotected.

1.1 ABSTRACT

The **MTBF** (Mean Time Between Failures) states the **expected operation time between two succeeding** failures of a device type in hours (definition following IEC 60050 (191)).

This document contains an abstract of the data and standards taken into account for the calculation of the MTBF. The MTBF for the various devices or series is shown in tables.

1.2 CALCULATION

The MTBF figures in the tables were determined on the basis of **service life tests**, **field experience** and **field failure rates**.

The calculations are based on operation at an **ambient temperature of 25° C** (77° F).

1.3 RECORDING SYSTEMS

Device	Limitation	Hours
DMS 2400 MK3	Without hard disk drives	810 000
IPS 10000 MK2	Without hard disk drives	458 000
VideoNetBox III	Without hard disk drives	810 000

1.4 CAMERAS

Device	Limitation	Hours
SDF6800DN	Without lenses	over 10⁵
RDF6800DN	Without lenses	over 10 ⁶
RDF6400DN	Without lenses	over 10 ⁶
RDF5140DN	Without lenses	over 10⁵
RDF5120DN	Without lenses	over 10 ⁶
RDF5140DN (E)	Without lenses	over 10 ⁶
RDF5120DN (E)	Without lenses	over 10 ⁶
DDF5050HDV-IM	Without lenses	over 10 ⁶
DDF5050HDV-SM	Without lenses	over 10 ⁶
DF5050HD-DN	Without lenses	over 10 ⁶

1.5 PANOMERA®

Device	Limitation	Hours
Panomera [®] W8 Series	Without lenses	396 000
Panomera [®] S8 Series	Without lenses	396 000
Panomera [®] W4 Series	Without lenses	708 000
Panomera [®] S4 Series	Without lenses	708 000

1.6 MISCELLANEOUS

Device	Limitation	Hours
Workstation 3 Rack-Mount	Without hard disk drives	102 000
Workstation 3 Tower	Without hard disk drives	96 500
Server Rack-Mount 1RU	Without hard disk drives	80 000
Server 2 Rack-Mount 1 RU	Without hard disk drives	102 000

[This page was intentionally left blank for printing as a brochure.]

[This page was intentionally left blank for printing as a brochure.]

[This page was intentionally left blank for printing as a brochure.]



HEAD & ACCOUNTS OFFICE

Dallmeier electronic GmbH & Co.KG Bahnhofstr. 16 93047 Regensburg Germany

tel +49 941 8700 0 fax +49 941 8700 180 mail info@dallmeier.com

www.dallmeier.com