SEE MORE WITH LESS

Panomera® at work in

Genetec | **Genetec Security Center.**

Monitor large areas or long distances with exceptional detail – and with only a fraction of the cameras required in conventional solutions.

WITH GENETEC SECURITY CENTER AND PANOMERA®
UNLIMITED "VIRTUAL PTZS" AND A COMPLETE OVERVIEW

Patented camera technology
A Dallmeier Panomera® camera system intelligently combines the images from up to seven detail sensors and one overview sensor into a high-resolution overall view of the area.

Fully integrated in Genetec
Combining Genetec Security Center with Panomera®, users can monitor huge areas in exceptional detail with very few Panomera® systems. Opening multiple zoom windows allows for high-resolution detail views in any area of the image. The overall view of the scene is always maintained, be it live or in recording. The benefit is equal to the combination of a powerful megapixel camera with any number of high-resolution "virtual" PTZs.

More than 150 MP and unlimited PTZs
Imagine having a camera with well over 150 MP and as many pan-tilt-zoom (PTZ) cameras as your current situation requires! And not only live, but also in your recording.

ABOUT GENETEC

Genetec was created on the belief that technology can break down barriers and improve the day-to-day lives of users. Over twenty-five years later, they are still striving to push the boundaries to meet your physical security needs and to help you stay ahead in a complex, ever-changing world.

Genetec

GENETEC INTEGRATION

1. WHAT IS NEEDED (TECHNICAL)

From Dallmeier

- Panomera® V8.x or above

- Dallmeier.Integration.Server.Installer.1.x.x

- Dallmeier.Integration.Client.1.x.x

From Genetec

- GSC-1SDK-DALLMEIER-PANOMERA, quantity 3 (1 for server side and 2 for client side)

- Genetec Security Center 5.11 or newer

2.   WHERE TO INSTALL WHAT

Server Side of the Plugin

> Dallmeier.Integration.Server.Installer.1.0.2

Client Side of the Plugin

> Dallmeier.Integration.Client.1.0.2

Genetec Security Center

**Security Desk
+
SeMSy®
Decoder Client**

Config Tool

GSC Main

**Dallmeier
Panomera® Plugin**

HTTPS / RTSP

Panomera®

Workstation

XML API

WIN32 API

**Security Desk
+
Dallmeier
Panomera®
Client Plugin**

**SeMSy®
Decoder Client**

HTTPS / DAVID (TCP)

Panomera®

3. OVERVIEW FUNCTIONALITIES IN SECURITY CENTER

CATEGORY	FUNCTIONALITY	STATUS
Video Basics and Configuration	**Video Device Settings** Edit up to 3 video profiles from cameras and Panomera®	⊘ Available
	Dallmeier Web Plugin Configure e.g. Edge Analytics via web configuration of cameras and Panomeras®	⊘ Available
	Video Device Event Settings Edge Analytics of Panomera® are supported in Genetec	⊘ Available
	Alarm Definitions Edge Analytics Events can trigger alarms in Genetec	⊘ Available
	Proxy Use separated video network from Client WS network	○ In preparation
Usability	**Panomera® Zoom-In Live**	⊘ Available
	Panomera® Zoom-In Playback	○ In preparation
	Panomera® Zoom-In (Live & Playback) in separated networks	○ In preparation
	Panomera® Backup Creating one backup from 4 to 8 Streams	○ In preparation
	Unlimited Splits for Panomera® Creating splits when clicking the middle mouse button	⊘ Available
	Analytics Show classification, trajectories and rectangles	⊘ Available
	Live Overview in Dashboard Tab A live overview will be displayed when a tile widget is fully visible in dashboard	⊘ Available
	Maps Opening a live overview on a map opens only an overview from the main module of the Panomera® camera without SeMSy® Decoder Client features	⊘ Available
Premium Functions	**Combining multiple Panomeras® into one Panomera® image**	○ In preparation
	Auto tracking	○ In preparation
	Trigger Air Blast	○ In preparation
	Trigger Privacy Shield	○ In preparation

Kai Gronauer
Alliance Manager
Dallmeier electronic GmbH & Co. KG

kai.gronauer@dallmeier.com　│　+49 941 8700-216　│　**Let's talk about your project.**

MADE IN GERMANY

www.dallmeier.com