

PStreamConvert
Version 3.0.5

English

1 Abstract

This document contains information about new features and changes that are introduced with the current version of the software. Additionally, it gives an overview of the tested and supported functional range of the various software versions.

2 Validity

This document applies to the **PStreamConvert** software. It has been created on the basis of software version 3.0.5.

3 Compatibility

The **PStreamConvert** software is compatible with the following hardware and software after the update to the current version:

- Microsoft Windows¹⁾ 7/10 operating system (64 Bit)
- CPU Intel Core2Duo 2.0 GHz (or comparable)
- 4 GB RAM
- 50 MB storage space

4 Notes

Note that

- this update is free of charge.
- the innovations are only generally described in this document.
- the use of some functions may require a license subject to charges.
- the Dallmeier support hotline is always available for further questions.

5 Procedure

The update to version 3.0.5 is available on the corresponding product page (Products > Tools > PStreamConvert) on the Dallmeier Web Site.

The update is done by installing the new version in the existing installation directory. Existing settings and configurations are adopted.

1) Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation headquartered in Redmond, Washington, USA

6 Innovations

Support for Windows 7 and 10 (64 bit)

Description	The current version of the software PStreamConvert has been optimized for use under Windows 7 and 10. The program is exclusively available for the 64-bit version of the operating systems.			
Availability	X	Update	X	Installation ex factory
Hardware		Necessary	X	Not necessary
Requirements				

Support for the latest Dallmeier products

Description	PStreamConvert is now compatible with IPS 10 000 recording systems and cameras of the 5000 series .			
Availability	X	Update	X	Installation ex factory
Hardware		Necessary	X	Not necessary
Requirements				

Redesign of the user interface

Description	The user interface has been redesigned in terms of color and optimized for intuitive use of the program.			
Availability	X	Update	X	Installation ex factory
Hardware		Necessary	X	Not necessary
Requirements				

7 Functional Range

The use of some functions may require a license subject to charges. Always observe the corresponding specifications of the software.

	1.0.5	2.0.4	2.0.5	3.0.5			
Merging supported	X	X	X	X			
Text and image overlay	O	X	X	X			
Video analysis	O	X	X	X			
Conversion of damaged tracks	O	O	X	X			
Windows 7 and 10 Support (64 bit)	O	O	O	X			
Support for cameras of the 5000 series	O	O	O	X			
Support for IPS 10 000 recording systems	O	O	O	X			
Redesign of the user interface	O	O	O	X			

X = Function is available in version

O = Function is not available in version

Dallmeier electronic GmbH & Co.KG
Bahnhofstrasse 16
93057 Regensburg
Germany

Tel.: +49 (0) 941 87 00-0
Fax: +49 (0) 941 87 00-180
www.dallmeier.com